



hoopoe

Product Catalogue



Gali No. 1, Village Mamura, Sector 66, Noida, Gautam Buddha
Nagar, Uttar Pradesh, 201301

About US

Welcome to Hoopoe Infotech Pvt. Ltd. A leading name in the Electronic Security Systems manufacturing Since 15 years of unparalleled expertise. Which provide various solutions including security solutions to corporate & as well as individuals. Our main motto is to invest in good quality and make use of our resources to the optimum so that we are able to provide excellent services to our clients. We offer a wide array of products and solutions which are state-of-the-art, reliable and high quality - cctv surveillance system, dome cameras weather Proof Camera, speed dome & ptz, Poe Switch, 4g & wifi Camera and all accessories Related to cctv industry.

Our Vision

Customer service is the utmost priority & foundation of our business. we value and respect all our customer, "provide the best service, quality products well within time at best value for money". Most of our new customers are through our old customer reference & this is because of our quality of product & service. We believe that "security is another name for happiness." through these efforts, Hoopoe hopes to contribute to a better world and a richer experience for all.

Our Focus

Customer's satisfaction has always been our prime concern. We manufacture and supply products that best suitable customer's diverse needs. We help you to choose the right products as per budget or your business needs.

Our security solutions based on:

- * best management
- * best servicing
- * best pricing
- * best solution
- * best products
- * best practices

After sale support/services make our company different from other!!

- * timely support-this will increase your business productivity.
- * to ensure minimum downtime of product we analyse our products regularly to ensure the quality and to add latest features available in the developing world.



Analog HD Cameras



HP-URC-DC24PL3
2.4MP IR Dome Camera – 30Mtr.

- 2.4MP PS CMOS Image Sensor
- DWDR, Day/Night (ICR), 2D DNR, BLC, HLC
- 3.6mm fixed lens (2.8 mm Optional)
- IR Range of 30 Mtr., Smart IR
- 4 Signals over 1 Coaxial Cable
- CVI/ CVBS/ AHD/ TVI switchable



HP-URC-TC24PL3C
2.4MP IR Bullet Camera – 30Mtr.

- 2.4MP PS CMOS Image Sensor
- Max. Outputs 2.4MP(1920x 1080)@30fps
- DWDR, Day/Night (ICR), 2D DNR, BLC
- 3.6mm Lens (2.8mm, 6mm Optional)
- IR Range of 30 Mtrs., Smart IR, IP67
- Support Built-in Mic
- 4 Signals over 1 Coaxial Cable



HP-USC-DC51PL3C
4MP IR Dome Camera – 30Mtr.

- 1/2.7" 4MP PS CMOS Image Sensor (0.9407 cm)
- DWDR, Day/Night (ICR), 2D DNR, BLC, HLC
- 3.6mm Fixed lens (2.8mm Optional)
- IR Range of 30 Mtrs., Smart IR
- Support Built-in Mic



HP-USC-TC51PL3C
4MP IR Bullet Camera – 30Mtr.

- 1/2.7" 4MP PS CMOS Image Sensor (0.9407 cm)
- Max. 25fps@5MP (16:9 video output)
- DWDR, Day/Night (ICR), 2D-DNR, AWB, AGC, BLC, HLC
- 3.6mm fixed lens (2.8mm optional)
- IR Range of 30 Mtrs., IP67
- Support Built-in Mic
- OSD Menu, control over coaxial cable, 2D-DNR
- CVI/CVBS/AHD/TVI Switchable



Network Cameras



CP-UNC-DA41PL3C-Y

4MP IR Network Dome Camera – 30Mtr.

- 1/3" 4MP PS CMOS Image Sensor (0.84667cm)
- Max. 4MP(2560 × 1440)@30fps
- Instastream, H.265 and Smart H.264+ dual-stream encoding
- DWDR, Day/Night (ICR), 3D-DNR, ROI, AWB, AGC, BLC, HLC
- 3.6mm fixed lens
- Support Built-in Mic
- IR Range of 30 Mtrs, IP67, PoE



HP-UNC-TA41PL3C-Y

4MP IR Network Bullet Camera – 30Mtr.

- 1/3" 4MP PS CMOS Image Sensor (0.84667cm)
- Max. 4MP (2560 × 1440)@30fps
- Instastream, H.265 and Smart H.264+ dual-stream encoding
- DWDR, Day/Night (ICR), 3D-DNR, ROI, AWB, AGC, BLC, HLC
- 3.6mm fixed lens
- Support Built-in Mic
- IR Range of 30 Mtrs, IP67, PoE



HP-UNC-DA51PL3C-Y

5MP IR Network Dome Camera – 30Mtr.

- 1/2.9" 5MP PS CMOS Image Sensor (0.8758 centimeter)
- Max. 5MP (2880×1620)@20 fps
- Instastream and H.264 dual-stream encoding
- DWDR, Day/Night (ICR), 3D DNR, ROI, AWB, AGC, BLC, HLC
- Support Built-in Mic
- Support Motion Detection
- 3.6mm fixed lens (2.8mm Optional)
- IR Range of 30 Mtrs, IP67, PoE



HP-UNC-TA51PL3C-Y

5MP IR Network Bullet Camera – 30Mtr.

- 1/2.9" 5MP PS CMOS Image Sensor (0.8758 centimeters)
- Max. 5MP (2880 × 1620) @20fps
- Instastream, H.265 and H.264 dual-stream encoding
- DWDR, Day/Night (ICR), 3D DNR, ROI, AWB, AGC, BLC, HLC
- 3.6mm fixed lens (2.8mm Optional)
- Support Built-in Mic
- Support Motion Detection
- IR Range of 30 Mtrs, IP67, PoE



Network Cameras



HP-UNC-VC81ZL4C-VMDS-V2

8MP WDR Network IR Vandal Dome Camera-
40 Mtr.

- 1/2.8" 8 MP PS CMOS Image Sensor (0.9071 Cm)
- Instastream, H.265 and H.264, triple-stream encoding
- Max. Output 8MP (3840 × 2160)@25/30 fps
- WDR(120dB), Day/Night (ICR), SMD 4.0, 3D DNR, ROI, AWB, AGC, BLC, HLC, EIS
- IR Range of 40 Mtrs.
- Micro SD Card, Built-in Mic, IP67, IK10, Po
- 2.7mm~13.5mm Motorized Lens
- Support Starlight Technology



HP-UNC-TB81ZL6C-VMDS-V2

8MP WDR IR Bullet Camera – 60Mtr.

- 1/2.7" 8MP PS CMOS Image Sensor (0.9407 centimetres)
- 8MP (3840×2160)@20fps, supports 4MP(2688×1520)@25/30fps
- Support Starlight Technology
- Instastream, H.265, H.264+, H.264, dual-stream encoding
- WDR(120dB), Day/Night Auto(ICR)/Color/B/W, 3D DNR, ROI, BLC,HLC, Digital watermarking
- 2.7–13.5mm Motorized Lens
- IR Range of 60 Mtrs, IP67, IK10(optional), Micro SD Card, PoE



Digital Video Recorder (DVR)



HP-UVR-0401F1-IC2

4Ch. 5M-N Digital Video Recorder

- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 6 channels IP camera inputs, each channel up to 6MP; Max 48Mbps Incoming Bandwidth
- Supports Full-channel AI Instastream
- AI Instastream/Instastream/H.265 dual-stream video compression
- Up to 4 channels video stream (analog channel) SMD Plus.
- Support 1 SATA HDD up to 16TB Each, 2 USB Ports
- 1 HDMI / 1 VGA Simultaneous Video Output

HP-UVR-0801F1-IC2

8Ch. 5M-N Digital Video Recorder

- Up to 8 Ch IP Camera Input
- Max 12 channels IP camera inputs, each channel up to 6MP
- Max 64Mbps Incoming Bandwidth
- Supports Full-channel AI Instastream
- 1 HDMI / 1 VGA Simultaneous Video Output
- Support 1 SATA HDD up to 16TB Each, 2 USB Ports
- Up to 8 channels video stream (analog channel) SMD Plus



HP-UVR-1601L1N-4KI3-V2

16Ch. 4K/5MP Digital Video Recorder

- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Support upto 8MP IP Camera
- Instastream/ H.265 dual-stream video compression
- Max 32 channels IP camera inputs, each channel up to 6MP; Max 128 Mbps incoming bandwidth
- Support 1 SATA HDD up to 16TB, 2 USB Ports
- 1 HDMI / 1 VGA simultaneous video output
- Up to 8 channels video stream (analog channel) Perimeter Protection.
- Up to 16 channels video stream (analog channel) SMD Plus.
- Up to 2 channels video stream (analog channel) human face recognition



Network Video Recorder (DVR)



HP-UNR-104F1-P4

4Ch. Network Video Recorder with 4 PoE Port

- Support 4 channel IP camera input
- Max 80Mbps Network Bandwidth
- Instastream/H.265/Smart H.264+/H.264 codec decoding
- Up to 8MP resolution preview and playback
- Support 4 PoE Ports
- Support 1 SATA HDDs up to 8TB Each, 2 USB Ports (USB2.0)
- VGA/HDMI simultaneous video output, maximum resolution of HDMI is 1080P
- Support Multi-brand network cameras
- ONVIF Version conformance

HP-UNR-4K2082-V3

8 Ch. 4K Network Video Recorder

- Industrial-grade processor with Embedded Linux OS
- Instastream/H.265/H.264 /Smart H.264 /H.264 decoding formats
- Max. decoding capability: 6 × 1080p@30 fps
- Max. 80/80/60 Mbps incoming/recording/outgoing bandwidth
- Support 2 SATA HDDs up to 20TB, 2 USB ports(2.0)
- HDMI / VGA simultaneous video output
- Support Multi-brand network cameras
- ONVIF Version 22.12



HP-UNR-4K2162-V3

16 Ch. Network Video Recorder

- Up to 16 Channel IP Camera input
- Instastream, H.265, H.264, MJPEG
- Up to 12 MP resolution preview and playback
- AI disabled: 144 Mbps incoming, AI enabled: 72 Mbps incoming
- Support 2 SATA HDDs up to 20TB, 2 USB ports(2.0)
- HDMI / VGA simultaneous video output
- ONVIF Version 21.12 conformance



DIY Products



2MP Wi-Fi Robot PT Camera

Features

- H.265+, 2 Megapixel
- 6 Smart IR LED + 4 White LEDs, 5-10 Meters IR Distance
- 4MM Fixed Lens, Pan 0~355°, Tilt 0~110°
- Night Vision Modes: B&W /ATC
- 10X Digital Zoom
- 6 preset points
- Wi-Fi connection
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Two Way Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support



3MP Wi-Fi Robot PT Camera

Features

- H.265+, 3 Megapixel
- 6 Smart IR LED, 5-10 Meters IR Distance
- 4MM Fixed Lens, Pan 0~350°, Tilt 0~50°
- Night Vision Modes: B&W
- 10X Digital Zoom
- 10 preset points
- Wi-Fi connection; QR Code configuration
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



DIY Products



5MP Wi-Fi Robot PT Camera

Features

- H.265+, 5 Megapixel
- 6 Smart IR LED, 5-10 Meters IR Distance
- 4MM Fixed Lens, Pan 0~352°, Tilt 0~58°
- Night Vision Modes: B&W
- 10X Digital Zoom
- 10 preset points
- Wi-Fi connection; QR Code configuration
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



3MP Wi-Fi ATC Dome Camera

Features

- H.265+, 3 Megapixel
- 4MM Fixed Lens, 2 Smart LEDs, 20 Meters IR Distance
- Night Vision Modes: B&W / All Time Color / Smart
- Wi-Fi connection; QR Code configuration
- Micro SD Card Support upto 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



DIY Products



3MP Wi-Fi ATC Bullet Camera

Features

- H.265+, 3 Megapixel
- 4MM Fixed Lens, 4 Smart LED, 20 Meters IR Distance
- Night Vision Modes: B&W / All Time Color / Smart
- Wi-Fi connection; QR Code configuration
- Micro SD Card Support upto 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



3MP Wi-Fi Mini PT Camera

Features

- H.265+, 3 Megapixel
- 12 Smart LED, 15-20 Meters White Light Distance, 20-30 Meters IR Distance
- 4MM Fixed Lens, Pan 0~255°, Tilt 0~90°
- Night Vision Modes: B&W / All Time Color / Smart
- 10X Digital Zoom
- 10 preset points
- Wi-Fi connection; QR Code configuration
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



DIY Products



3MP 4G ATC Dome Camera without LAN

Features

- H.265+, 3 Megapixel
- 4MM Fixed Lens, 2 Smart LEDs, 20 Meters IR Distance
- Night Vision Modes: B&W / All Time Color / Smart
- Supports all type of 4G SIM
- 4G connection; QR Code configuration
- Micro SD Card Support upto 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- "EseeCloud" Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



3MP 4G ATC Bullet Camera without LAN

Features

- H.265+, 3 Megapixel
- 4MM Fixed Lens, 4 Smart LED, 20 Meters IR Distance
- Night Vision Modes: B&W / All Time Color / Smart
- Supports all type of 4G SIM
- 4G connection; QR Code configuration
- Micro SD Card Support upto 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- "EseeCloud" Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



DIY Products



3MP 4G Mini PT Camera

Features

- H.265+, 3 Megapixel
- 12 Smart LED, 15-20 Meters White Light Distance, 20-30 Meters IR Distance
- 4MM Fixed Lens, Pan 0~255°, Tilt 0~90°
- Night Vision Modes: B&W / All Time Color / Smart
- 10X Digital Zoom • 10 preset points
- Supports all type of 4G SIM
- 4G connection; QR Code configuration
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support



4MP 4G Solar Mini PT Camera

Features

- H.265+, 4 Megapixel
- 6 Smart LED, 15-20 Meters White Light Distance, 20-30 Meters IR Distance
- 4MM Fixed Lens, Pan 0~270°, Tilt 0~90°
- Night Vision Modes: B&W / All Time Color
- Built-in PIR Sensor
- Built-in battery 15600mAh, with 7W Solar Panel
- 10X Digital Zoom
- 10 preset points
- Supports all type of 4G SIM
- Alarm Flash Light on Human/Motion Detection
- 4G connection; QR Code configuration
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support



DIY Products



4MP 4G Dual Lens Mini PT Camera

Features

- H.265+, 4 Megapixel
- 4 IR LEDs & 4 White LEDs, 15-20 Meters White Light Distance, 20-30 Meters IR Distance
- 4mm & 12mm Dual Lens, Pan 0~270°, Tilt 0~90°
- Night Vision Modes: B&W / All Time Color / Smart
- 10X Combined Zoom
- 6 preset points• Supports all type of 4G SIM
- 4G connection; QR Code configuration
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support



3MP 4G Solar Dual Lens Mini PT Camera

Features

- H.265+, 3 Megapixel
- 4 IR LEDs & 4 White LEDs, 15-20 Meters White Light Distance, 20-30 Meters IR Distance
- 4mm & 8mm Dual Lens, Pan 0~270°, Tilt 0~90°
- Night Vision Modes: B&W / All Time Color
- Built-in PIR Sensor
- Built-in battery 15600mAh, with 7W Solar Panel
- 10X Combined Zoom• 6 preset points
- Supports all type of 4G SIM
- Alarm Flash Light on Human/Motion Detection
- 4G connection; QR Code configuration
- Intelligent Motion/Human based Tracking
- Micro SD Card support up to 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high-sensitivity Mic and Speaker
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support



DIY Products



3MP 4G Solar Bullet Camera

Features

- H.265+, 3 Megapixel
- 2.8MM Fixed Lens, 2 White LED 15 Meter Distance, 2 Array LED 20 Meters Distance
- Night Vision Modes: B&W / All Time Color
- Built-in PIR Sensor
- Built-in battery 10400mAh, with 5W Solar Panel
- Supports all type of 4G SIM
- 4G connection; QR Code configuration
- Micro SD Card Support upto 256GB
- Cloud storage (optional)
- Full Duplex Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support
- Connectivity with Onvif Supported NVRs



2MP + 2MP 4G Linkage Mini PT Camera

Features

- H.265+, 2MP+2MP Megapixel
- 4mm+8mm Fixed Lens, 12 + 6 White LED 30 Meter Distance, 12 + 6 Array LED 20 Meters Distance
- Night Vision Modes: B&W / All Time Color
- 10 preset points
- Active defence siren and lights
- Supports all type of 4G SIM
- 4G connection; QR Code configuration
- Micro SD Card Support upto 256GB
- Cloud storage (optional)
- Audio Intercom with Built-in high sensitivity speaker and mic
- Intelligent Human Detection, Area motion detection, Realtime Push Notification on Mobile App
- Customised Prerecorded Audio Message Announcement for Audio Alerts
- “EseeCloud” Mobile app and PC client software for remote monitoring
- Alexa Support





hoopoe



Gali No. 1, Village Mamura, Sector 66, Noida, Gautam Buddha
Nagar, Uttar Pradesh, 201301